


Industrias AlEn Research & Development Safety Data Sheet



Classification

Confidential

SAP Code

SDS FP-6050311

SECTION 1 – IDENTIFICATION					
Manufacturer		Mexico emergency telephone		Fax	
ALEN DEL NORTE S.A. DE C.V.		01 800 834 33 0	0	+52 (81) 81221099	
Address		Emergency teleph	one number	(US)	
		CHEMTRAC			
Blvd. Díaz Ordaz No. 1000, Los Treviño, C.P. 66150, México	Santa Catarina, N.L.	For domestic shipments		800 424 9300	
C.1 . 30130, MCXIOO		For shipments outside US		703 527 3887	
Product Name					
PINALEN MAX AROMAS FLO	DRAL				
Chemical Name CAS Number			er		
NA, Mixture		NA			
Synonyms/Trade Names					
NA					
Application	Restrictions on use				
Household multipurpose cleaner	This product is not intended for industrial uses or as a sanitizing agent.				

SECTION 2 – HAZARDS IDENTIFICATION

Classification: Eye Irritation Cat. 2B

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Signal word: Warning

Hazard Statements: H320 Causes eye irritation.

Pictograms:

No pictogram required.

Precautionary Statements	
Prevention: Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling.	Storage: Keep out of reach of children. Keep containers closed when not in use. Store in a cool, dry area. Keep away from heat, sparks or open flame.
❖ Response: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. IF ON SKIN: Take off contaminated clothing. Rinse skin with plenty of water for 15 – 20 minutes. IF SWALLOWED: Get medical attention. Do not induce vomiting. Drink large quantities of water.	Disposal: Dispose in accordance with all applicable local, state and federal regulations.
Hazard not otherwise classified: Repeated or prolonged contact may cause skin sensitization.	Unknown Toxicity: Not applicable.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS			
Hazardous Ingredients Chemical/Common Name	Composition Range	CAS Number	
3,6,9,12,15,18,21,24,27-nonaoxanonatriacontan-1-ol / Polyethylene glycol ether of Lauryl alcohol	1.0 – 3.0	3055-99-0	
2-propanol / Isopropyl alcohol	0.1 – 1.0	67-63-0	
Ethanol / Ethyl alcohol	0.1 – 1.0	64-17-5	

SECTION 4 - FIRST-AID MEASURES				
For treatmer	For treatment advice, call a Poison Control Center or a doctor.			
Ingestion	Do not induce vomiting, drink large quantities of water or milk. Get immediate medical attention. Apply other supportive measures as indicated by the patient's clinical condition.			
Inhalation	Not an irritant. In case concentrated vapors were formed due to heating, get fresh air.			
Skin	Wash affected area with plenty of water and soap or mild detergent, until no evidence of product remains. Get medical attention if irritation develops or persists.			
Eyes	Remove contact lenses if necessary and immediately irrigate the affected eye thoroughly with water or 0.9% saline for at least 10-15 minutes, until no evidence of chemical remains. Get medical attention if irritation develops or persists.			
Most important symptoms and effects: Redness of eyes and/or skin.		Indication of any immediate medical attention and special treatment needed: Treat symptomatically.		

SECTION 5 – FIRE-FIGHTING MEASURES		
Flash Point (°C)	Test method	
NA		
Flammability	Explosive limits in air	
NA	No explosion hazard.	
Extinguishing media:		

Water spray X	CO ₂ X	Foam X	Other	
Unusual fire and explo	sion hazards: NA			
	ipment: Wear NIO en fighting fires inv		lf-contained breathing a	pparatus and full protective
Special fire-fighting pro	ocedures: Use wa	ater spray to cool c	ontainers exposed to fir	e.
Conditions to avoid: Heat, sparks, open flame and other sources of ignition.				
Hazardous combustion products: Carbon monoxide and carbon dioxide.				

SECTION 6 – ACCIDENTAL RELEASE MEASURES				
Personal precautions				
Gloves X Goggles X Boots X Coat Other Latex				
Emergency Procedures in case of release or spillage: Large spills: Wear protective equipment, remove sources of ignition, sweep up the material, use absorbent material like sand or saw dust, collect in closed containers and dispose of according to all local regulations. Wash area with water. Small spills: Wash area with plenty of water and dispose the material in accordance with all local, state and federal regulations. Avoid heat, sparks, open flame and other sources of ignition. Avoid contact with skin, eyes and clothing.				
Methods and Materials for Containment and Cleaning up: Use absorbent material and collect in closed containers, wash with plenty water, and conduct to sanitary treatment facility.				

SECTION 7 – HANDLING AND STORAGE

Precautions for safe handling: Use with adequate ventilation. Avoid contact with skin, eyes and clothing. Do not eat, drink, or smoke when using the product.

Recommendations on the conditions for safe storage: Keep out of reach of children. Keep containers closed when not in use. Store in a well-ventilated, cool, dry area. Keep away from heat, sparks or open flame. Keep from freezing.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION				
Exposure limits:				
Hazardous Ingredients Chemical/Common Name	CAS Number	ACGIH TLV	OSHA PEL/NIOSH REL	
3,6,9,12,15,18,21,24,27-nonaoxanonatriacontan- 1-ol / Polyethylene glycol ether of Lauryl alcohol	3055-99-0	TLV: Not estab.	Not estab.	
2-propanol / Isopropyl alcohol	67-63-0	TLV-TWA: 400ppm TLV STEL: 500ppm	PEL-TWA: 400ppm REL-TWA: 400ppm REL-STEL: 500ppm	
Ethanol / Ethyl alcohol	64-17-5	TWA: 1000 ppm	REL-TWA: 1000 ppm (1900 mg/m³)	

Appropriate engineering controls: Eye washers
Ventilation requirements General ventilation X Local ventilation Unnecessary in normal cond.
Work practices: Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after and chemical contact before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Opaque liquid		
Color and odor:	Red and characteristic floral smell		
Boiling point (°C):	ND Melting or freezing point: ND		ND
Flash point (°C):	NA	Decomposition temperature:	ND
Fire point (°C):	NA	Auto ignition temperature (°C):	ND
Density (g/ml):	0.990 – 1.030	Vapor density:	ND
Molecular weight:	NA	Volatility:	ND
Percent volatile 100°C:	96.5 – 97.5	Vapor pressure (mmHg @ 20°C):	ND
Lower explosion limit (%):	NA	Upper explosion limit (%):	NA
pH:	6.5 – 7.5	Viscosity (cPs):	80 – 160
Solubility in water:	Complete	Solubility in others:	ND
Partition coefficient: n-octanol / water	ND	Odor threshold:	ND

SECTION 10 – STABILITY AND REACTIVITY
Reactivity: May react with acidic and other cleaning products.
Chemical stability: Stable X Unstable
Possibility of hazardous reactions: Not under normal handling of product.
Conditions to avoid: None known.
Incompatible materials: None Water Acids X Alkalis Oxide X Other known
Hazardous decomposition products: Carbon dioxide and carbon monoxide may be produced.
Hazardous polymerization: Will not occur X May occur

SECTION 11 – TOXICOLOGICAL INFORMATION				
Information on the likely routes of exposure				
Contact via		Acute	Chronic	
Ingestion	May cause irritation	on to intestinal mucous.	NA	
Inhalation	None under norma	al use conditions	None under normal use conditions	
Skin	May cause irritation	on on sensitive skin.	Repeated or prolonged contact may cause an allergic skin reaction.	
Eyes	Causes eye irritati	ion.	NA	
Symptoms: Redness of eyes and/or skin. Chronic effects from short and long-term exposure: Carcinogenic				
Complementary information				
Chemical Name LD50 Oral Animal Species		Animal Species		
Isopropyl alcohol 3,600 mg/kg		Mouse		
Ethyl alcohol 6,200 mg/kg		Rat		

SECTION 12 – ECOLOGICAL INFORMATION				
Ecotoxicity: No information available				
Persistence and degradation in environment: Product is readily biodegradable.				
Test of bioaccumulation: No information available				
Other adverse effects: No information available				

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste disposal methods: Dispose in accordance with all applicable local, state and federal regulations. **Contaminated packaging:** Do not reuse empty containers.

SECTION 14 – TRANSPORT INFORMATION							
Regulation	Proper Shipping Name	Identification number UN/NA	Hazard Classification	Packing Group			
Land Transportation DOT (USA)	Not regulated	Not regulated	Not regulated	Not regulated			
Land Transportation TDG (Canada)	Not regulated	Not regulated	Not regulated	Not regulated			
Land Transportation ADR (Europe)	Not regulated	Not regulated	Not regulated	Not regulated			
Air Transportation IATA (International)	Not regulated	Not regulated	Not regulated	Not regulated			
Water Transportation IMDG (International)	Not regulated	Not regulated	Not regulated	Not regulated			

SECTION 15 – REGULATORY INFORMATION					
RCRA (40 CFR 261, Subpart D):	New Jersey Right to Know Hazardous Substance List:				
Not applicable.	This product contains the following components subject to reporting requirements: isopropyl alcohol and ethyl alcohol.				
Clean Water Act:	Pennsylvania Hazardous Substance List:				
Not applicable.	This product contains the following components subject to reporting requirements: isopropyl alcohol and ethyl alcohol.				
Clean Air Act:	Massachusetts Substance List:				
Contains isopropyl alcohol which is regulated under Section 111.	This product contains the following components subject to reporting requirements: isopropyl alcohol and ethyl alcohol.				
SARA Sections 301-304 (Threshold Planning Quantity - TPQ) 40 CFR 355:	State Of Illinois Substance List:				
Not applicable.	This product contains the following components subject to reporting requirements: isopropyl alcohol and ethyl alcohol.				
SARA Section 313 (Toxic Chemical Release Reporting) 40 CFR 372:	Michigan Critical Materials Register:				
The following chemicals must be reported under SARA 313: isopropyl alcohol and ethyl alcohol.	Not applicable.				
CERCLA Section 102 (Reportable Quantity - RQ):	Canada (WHMIS) - listed material:				
Not applicable.	This product contains the following components subject to reporting requirements: isopropyl alcohol and ethyl alcohol.				
California Proposition 65 Carcinogens and reproductive toxins:	TSCA Section 8(b) Inventory Status:				
Not applicable.	All ingredients listed in this product are listed in the TSCA Inventory or are not required to be listed in the TSCA Inventory.				

SECTION 16 – OTHER INFORMATION							
HMIS Classification (USA)		HMIS Let	tter Required Equipment				
Health	1	А	Safety glasses.				
Flammability	0	В	Safety glasses, gloves.				
Physical Hazard	0	С	Safety glasses, gloves, protective apron.				
Personal Protection B		D	Face shield, gloves, protective apron.				
		Е	Safety glasses, gloves, dust respirator.				
NFPA Aerosol Level:		F	Safety glasses, gloves, protective apron, dust respirator.				
NA		G	Safety glasses, gloves, vapor respirator.				
NA: Not Applicable TLV: Threshold Limit Values ND: Not Determined		Н	Splash glasses, gloves, protective apron, vapor respirator.				
		I	Safety glasses, gloves, dust respirator, vapor respirator.				
		J	Safety glasses, gloves, protective apron, dust respirator, vapor respirator.				
		K	Air line mask or hood, gloves, full suit, boots.				

Creation date:	Last revision date:	Next revision date:	Created by:
May 22, 2012	October 27, 2015	October 27, 2017	Rocio Vázquez Herrera

DISCLAIMER

The submission of this SDS may be required by law, but this is not an assertion that the substance is not hazardous when it is not used in accordance with proper safety practices and normal handling procedures. Data supplied is for use only in connection with occupational safety and health and not for consumer use. The information contained herein has been compiled form sources considered by Industrias AlEn to be dependable and is accurate to the best of the Company's knowledge. The information relates to the specific material designated herein, and does not relate to the use in combination with any other material or any other process. Industrias AIEn assumed no responsibility for injury to the recipient or third persons, for any damage to any property form misuse of the controlled product.